

PATENT COOPERATION TREATY

PCT

REC'D	1	2	NOV	2004
WIPO				PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference PU02105-PCT			FOR FURTHER AC	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/PEA/416)			6)
International application No. International filing date PCT/EP 03/14006 10.12.2003			International filing date (day/moni	th/year)	Priority date (day/month/year) 11.12.2002	
1	International Patent Classification (IPC) or both national classification and IPC C22B5/00						
Applicant AMERSHAM BIOSCIENCES AB et al.							
This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.							
2. Th	is REP	ORT consists of a total of	of 4 sheets, including th	is cove	sheet.		
⊠	been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).						
	These annexes consist of a total of 2 sheets.						
0 7	·		Jeling to the following it		•		
3. Th							
		Basis of the opinion					
11		Priority	oninian with regard to n	avaltu i	muontivo oton s	and industrial applicability	
l iv			•	oveity, i	ilverilive step a	and industrial applicability	
V							oility;
VI		Certain documents cit	ed		,		
Vi	VII Certain defects in the international application						
VI	VIII Certain observations on the international application						
Date of submission of the demand Date of completion of this report					ils report		
11.06.2	11.06.2004			11.11.2004			
Name and mailing address of the international A preliminary examining authority:				Author	zed Officer	· estable	Patenten
European Patent Office D-80298 Munich				Tierce	et, M	- Arter	
Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465				Teleph	one No. +49 89	2399-8977	ome. Other

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP 03/14006

1.	Bas	is	of	the	rei	no	rt
l.	Das	13	UI.	uic	10	vv	,,

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Des	scription, Pages	'				
	1-5		as originally filed				
	Clai	ims, Numbers					
1-10			received on 04.11.2004 with letter of 01.11.2004				
	Dra	wings, Sheets					
	1/2-	2/2	as originally filed				
2. With regard to the language , all the elements marked above were available or furnished to this Authority language in which the international application was filed, unless otherwise indicated under this item.							
	The	ese elements were available or furnished to this Authority in the following language: , which is:					
		the language of a tra	inslation furnished for the purposes of the international search (under Rule 23.1(b)).				
		the language of publication of the international application (under Rule 48.3(b)).					
		the language of a tra Rule 55.2 and/or 55.	inslation furnished for the purposes of international preliminary examination (under 3).				
3.			otide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:				
☐ contained in the international application in written form.							
\square filed together with the international application in computer readable form.							
☐ furnished subsequently to this Authority in written form.							
☐ furnished subsequently to this Authority in computer readable form.							
		The statement that to in the international a	he subsequently furnished written sequence listing does not go beyond the disclosure pplication as filed has been furnished.				
		The statement that to listing has been furn	he information recorded in computer readable form is identical to the written sequence ished.				
4.	The	amendments have re	esulted in the cancellation of:				
		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				

INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No.

PCT/EP 03/14006

5. 🗆	This report has been established as if (some of) the amendments had not been made, since they have
	been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-10

Inventive step (IS)

Yes: Claims

No:

Claims

1-10

No:

Claims

Industrial applicability (IA)

Yes: Claims No: Claims

1-10

2. Citations and explanations

see separate sheet

INTERNATIONAL PRELIMINARY EXAMINATION REPORT - SEPARATE SHEET

International application No. PCT/EP 03/14006

Ad V:

Compared to the documents cited in the search report, WO-A-0067293 and WO-A-9841323 which describe target slides for use in mass spectroscopy comprising a hydrophobic sheet having pits for droplets of analyte overlying a substrate, independant claims 1 and 5 as novel feature prescribe a maximum pit diameter smaller than any droplet diameter. This feature ensures that the pit traps the droplet by surface effect and not by gravity as in the prior art, ensuring a residue after evaporation confined to a small area. None of the documents mentioned in the search report mentions this specific problem or could suggest the solution, so that claims 1 and 5 as non-obvious alternatives fulfill the conditions of Article 33(2) and 33(3) PCT. The industrial applicability is evident (Article 33(4) PCT).



5

30

EP03140065

Claims

- 1. Method of preparing a target slide for mass spectroscopy analysis comprising the steps of: making at least one pit (9a-9n) which is less than 1 mm wide and having a wall (13a-13n) and a pit bottom (15a-15n) in a sample receiving surface (5) of the substrate (3) of a target slide (1), wherein there is a rim (11a-11n) between said sample receiving surface and said wall (13a-13n); and, making said sample receiving surface (5) and the rim (11a-11n) of said at least one pit (9a-9n) more hydrophobic than the substrate (3) of said target slide.
- 2. Method in accordance with claim 1 characterised by the steps of forming said at least one pit (9a-9n) in said slide and coating the rim (11a-11n) of said at least one pit (9a-9n) with a layer of hydrophobic material (17).
- 3. Method in accordance with any of the previous claims characterised by the step of making the pit bottom(s) (15a-15n) of said at least one pit (9a-9n) more hydrophobic than the substrate (3) of said target slide.
 - 4. Target slide for use in a mass spectrometer characterised in that it comprises a substrate (3) with a sample receiving surface (5) comprising at least one pit (9a-9n) which is less than 1 mm wide and having a wall (13a-13n) and a pit bottom (15a-15n) in said sample receiving surface (5), wherein there is a rim (11a-11n) between said sample receiving surface and said wall (13a-13n), wherein said sample receiving surface (5) and the rim (11a-11n) of said at least one pit (9a-9n) are more hydrophobic than the substrate (3).
- 5. Target slide in accordance with claim 4 characterised in that said at least one pit is more than 0.05 mm wide.
 - 6. Target slide in accordance with any of claims 4-5 characterised in that said at least one pit (9a-9n) is less than 100 μ m deep.
 - 7. Target slide in accordance with any of claims 4-6 characterised in that said at least one pit (9a-9n) is more than 5 μ m deep.



- 8. Target slide in accordance with any of claims 4-7 characterised in that said target slide comprises a substrate (3) of conducting material coated with a layer (17) of hydrophobic material.
- 9. Target slide in accordance with claim 8 characterised in that said layer (17) of hydrophobic material is less than 0.1 mm thick.
 - 10. Target slide in accordance with any of claims 4-9 characterised in that said pit bottom (15a-15n) is more hydrophobic than the substrate (3).